CROSSOVER LODGE

Product sheet

CROSSOVER LODGE MEDIUM

PRODUCT SHEET | Crossover Lodge Medium

BASIC UNIT

Basic Unit

Standard: Frame, inner tent and outer tent

Dimensions Basic Unit	Area	Dimensions	
	Total covered space		49 m²
	Indoor space	566x566 cm	32 m²
	Outdoor space	640x300 cm	19 m²
	Covered terrace		11 m²
	Total space incl. terrace	640x900 cm	58 m²



49 m² up to 4 people

THE BASIC UNIT CONTAINS:

FRAME

Coated

Anodized

Standard: Aluminium frame coated in RAL 9005 black — CSP006 C

Optional: Aluminium frame anodized (color: aluminium) — CSP006 C (A)

Product	Dimensions	Material
Tubes structure	Ø9 cm / Ø7 cm	6082T6 aluminium alloy
Connectors structure	-	Galvanized steel
Cables structure	-	Stainless steel 316
Straight tubes (inner tent)	4x 350 cm (L) / Ø3,4 cm	Stainless steel 304
Curved tubes (covered terrace)	607x241 cm (WxH) / Ø5 cm	Stainless steel 304
Connectors straight tubes	8x 30x11x9 cm (WxLxH)	Stainless steel 304

BASIC UNIT

INNER TENT (STANDARD)

PolyCotton
Taupe 70238

PolyCotton
Dim grey 69493

PolyCotton
Iron grey 69525

Standard: TenCate PolyCotton — CL021 TC PC

Material	Weight	Water column	Finish	Color-weather fastness
TenCate PolyCotton KA-46 50% polyester / 50% cotton	420 grams/m²	45 cm	Water, mildew and dirt repellent	ISO 105 B04: ≥ 4

Width: 566 cm | Length: 566 cm | Height: 280 cm | Height opening: 200 cm | Width opening: 92 cm

Water repellent | Mildew and rot resistant | Breathable | Moisture regulating | Very strong

INNER TENT (OPTIONAL)

Campshield®
Taupe FR1-CSTAUPE

Campshield®
Beige FR1-70183

Optional: TenCate Campshield® (flame retardant) — CL021 TC CS

Material	Weight	Water column	Finish	Color-weather fastness
TenCate Campshield® FR-1 PPAN-fr/CV/ PVA-fr/PVA	420 grams/m²	40 cm	Water, mildew, dirt repellent and flame retardant	ISO 105 B04: ≥ 4

Width: 566 cm | Length: 566 cm | Height: 280 cm | Height opening: 200 cm | Width opening: 92 cm

Flame retardant | Water repellent | Mildew and rot resistant | Breathable | Moisture regulating | Very strong | Durable

OUTER TENT

Taupe 6002-320165

Green 6002-320330

Anthracite 6002-320205

Standard: Stam 6002® outer tent — CL022 FER

Material	Weight	Reinforcements	Certification	
Stam 6002®	630 grams/m²	Stam 6002®	California T19 M2/B1	

Width: 622 cm | Length: 844 cm | Height: 375 cm | Height opening: 233 cm

-30 °C | +70 °C

EXTRAS

SIDEWALLS OUTER TENT (SAME COLOR AS OUTER TENT)

Plane

Windows

Windows and door

Stam 6002® Sidewall outer tent plane	CL0406 FER
Stam 6002® Sidewall outer tent with windows	CL0406 W FER
Stam 6002® Sidewall outer tent with windows and door	CL0406 WD FER

Width: 570 cm Height: 215 cm Width door opening: 280 cm

-30 °C +70 °C

MOSQUITO NET

Mosquito net to place at the entrance of the inner tent	TP3000

Width: 555,5 cm Width (top): 338,3 cm Height: 224,4 cm

MOUNTING ROD (CEILING CONNECTOR)

Mounting rod to e.g. place a ceiling fan, air conditioning or lighting in the center of the inner tent	CL001025

Product	Dimensions (WxH)	Material	Weight	Color
Mounting rod	Ø30,5x80 cm	Steel	6,6 kg	RAL 9005 black

SCREW FOUNDATION SET (PROVIDING YOUR OWN DECKING)

Screw foundation (M12) set of 4 pieces (if you provide your own decking) **This option cannot be combined with Decking 40 and Decking for hot tub**	CL9001

Dimensions (WxL)	Material	Pressure (kN)	Pull (kN)	Horizontal (kN)
Ø7,6/Ø7,1x104,5 cm	Galvanized steel	16,5	9,5	4,5

OPTIONS

OPTION 1 | Wall System

1A: Wall System
(Bathroom Regular)

1B: Wall System
(Bathroom POD)

1A: Wall System (for Bathroom Regular) incl. photo frame — TP0110A

This option can be combined with Option 2A: Bathroom Regular, but NOT with Option 2B: Bathroom POD

1B: Wall System (for Bathroom POD) incl. photo frame — TP0110B

This option can only be combined with Option 2B: Bathroom POD

Material	Color
MDF with double corrugated carton	White

Dimensions 1A: Wall System (Bathroom Regular)



Dimensions 1B: Wall System (Bathroom POD)



Photo frame on the wall behind the bed

Photo frame

Canvas: Full
color printed





Dimensions (WxH)	Material	Design
296x224 cm	Black coated aluminium frame with a 220 grams DecoTex GFS (100% polyester) canvas	Beach / meadow / water / your own design

OPTIONS

OPTION 2 | Bathroom



2A: Regular

2A Regular: Bathroom interior with toilet, shower cubicle with rain shower and thermostate, faucet, sink with cabinet, mirror (round) and accessoriesset (excl. boiler) TP0210A

This option can be combined with Option 1A: Wall System Bathroom Regular

Toilet (rimless)
37x63x78,5 cm (WxLxH) Ceramics White
Rimless flushing edge, incl. connecting tube

Shower cubicle
110x80x194 cm (WxLxH) Material Black / white
Incl. rain shower, thermostate and connecting tube

Sink with cabinet
60x46x40 cm (WxLxH) Steel / mineral marble Black / white
Incl. faucet, drain plug and siphon

Mirror with LED (round)
Ø60 cm Aluminium frame Matt black frame
LED: light color 4000-4500K, touch, dimmable, IP44, certifications: SGS, CE and RoHS

Accessoryset
- Brass Matt black
Contains: toilet paper devicer, toilet paper holder, toilet brush, 2x towel hook, tumbler holder, and soap dispenser



2B: POD

2B POD: Plug and play bathroom with toilet, shower with thermostate, faucet, sink with cabinet, mirror and accessoryset (excl. boiler, ventilation and exterior finish, plug compatible with 220V EU socket) TP0210B

Dimensions 2B: POD



Toilet (rimless)
35x48,5x51 cm (WxLxH) Ceramics White
Rimless flushing edge

Shower cubicle
79x74x207 cm (WxLxH) Metal / glass Matt black
Incl. matt black rain shower and thermostate

Sink with cabinet
60x46x40 cm Wood/mineral marble Wood look / white
Incl. matt black faucet, drain plug and siphon

Accessoryset
- Brass Matt black
Contains: toilet paper holder, soap dish and 2x towel hook

EXTRA:

Optional: Radiator for Bathroom POD (plug compatible with 220V EU socket) TP0210

Radiator for 2B: POD

Dimensions (WxHxD)	Material	Color
50x86x9 cm	Metal	Matt black

OPTIONS

OPTION 4 | Vinyl floor

Concrete look



Herringbone wood look

Light grey (concrete look) vinyl floor for inner tent (heavy residential use and easy to clean)	TP0420
Herringbone wood look vinyl floor for inner tent (heavy residential use and easy to clean)	TP0410

Product	Dimensions (WxL)	Material	Thickness	Wear layer
Light grey (concrete look)	1,5x 400x570 cm	Vinyl	0,26 cm	0,35 cm
Herringbone wood look	1,5x 400x570 cm	Vinyl	0,26 cm	0,35 cm

OPTION 5 | Kitchen

Black with white worktop

Black with concrete look worktop



Black with white worktop incl. cupboards, faucet, sink, fridge, 4 pits induction plate and boiler 10L (plug compatible with 220V EU socket)	TP0510 W
Black with concrete look worktop incl. cupboards, faucet, sink, fridge, 4 pits induction plate and boiler 10L (plug compatible with 220V EU socket)	TP0510 G

Product	Dimensions (WxL)	Material	Color
Black with white worktop	205x60x120 cm	Multiplex, MDF, stainless steel, ceramic glass	Black / white
Black with concrete look worktop	205x60x120 cm	Multiplex, MDF, stainless steel, ceramic glass	Black / light grey

EXTRA:

Optional: Espresso machine, non-electric (standalone model)	TP1800
Optional: Espresso machine, non-electric (wall-mounted model)	TP1810

Espresso machine (standalone model)

Espresso machine (wall-mounted model)

Product	Dimensions (WxDxH)	Material	Color
Espresso machine (standalone model)	31x28x71 cm	Metal / wood	Black / silver / wood
Espresso machine (wall-mounted model)	23x23x71 cm	Metal	Black / silver

OPTIONS

OPTION 6 | Closet/Wardrobe

6A: Tall narrow closet	TP0610A
6B: Tall narrow closet/wardrobe combined with kitchen	TP0610B
6C: Dressoir incl. table lamps (plug compatible with 220V EU socket)	TP0610C

6A: Tall narrow closet

6B: Tall narrow closet/wardrope

6C: Dressoir incl. table lamps

Closet	Closet/wardrobe	Dressoir	2x table lamp
60x42x210 cm (WxLxH) Mix wood Natural	60x60x224 cm (WxLxH) Multiplex, MDF Black	200x44x85 cm (WxLxH) Mix wood Natural	Ø36x48 cm (WxH) Bamboo Black

OPTION 7 | Dining and living area

Dining and living area

Dining table, chairs, sofa, throw pillow, coffee table, pouf and rug	TP0710

Dining table	2x chair	Sofa	Throw pillow	Coffee table
Ø120x75 cm (WxLxH) MDF / Steel Black	56x57x83 cm (WxLxH) Pe (rotan look) Natural	112x81x71 cm (WxLxH) 100% Pes Khaki	Ø40 cm (WxH) Velvet Deep blue	Ø45x45 cm (WxH) Metal Black

Pouf	Rug
Ø46x46 cm (WxH) 100% Pes Khaki	120x170x1 cm (WxLxH) Polyester White / dark blue

OPTION 8 | Box spring

Complete hotel deluxe box spring incl. headboard, mattresses and topper	TP0810

Product	Dimensions (WxLxH)	Material	Color
Box spring + legs	2x 90x200x35 cm	Pocket sprung	Anthracite
Headboard	200x8,5x110 cm	Wood covered with fabric	Anthracite
Mattress	2x 90x200x22,5 cm	Pocket 500	Anthracite
Topper	180x200x10 cm	Cold foam	White

OPTIONS

OPTION 9 | Bedding and bed linen

9A: Double bed 1x duvet and cover (220x240 cm), 2x pillow and cover and fitted sheet (180x200 cm) TP0910A

9B: Double bed 2x duvet and cover (140x200 cm), 2x pillow and cover and fitted sheet (180x200 cm) TP0910B

9A: Bedding double bed

9B: Bedding double bed

Duvet and pillow cover
with a 2 mm satin stripe

Product	Material	Color
Duvet	3dtex	White
Pillow	100% cotton - percale siliconized microfiber	White
Duvet and pillow cover	80% cotton / 80% polyester	White
Fitted sheet	100% cotton - combed, double jersey	White

OPTION 10 | Bed accessories

Set of throw pillows and bedspread TP1010

The set is a combination of different sizes and colors (depending on the current offer)

FOR EXAMPLE:

Pillows square	Pillows rectangle	Bedspread
50x50 cm / 60x60 cm (WxH) Blue/off white / deep blue	40x60 cm (WxH) Off white	240x260 cm (WxH) Off white

OPTION 11 | Bedside tables

Bedside table set

Set of 2 bedside tables TP1110

Dimensions (WxLxH)	Material	Color
40x30x70 cm	Wood / metal	Natural / black

OPTION 12 | Indoor lighting

Indoor LED lighting incl. hanging lamp, table lamps, floor lamp and wall lamps (plug compatible with 220V EU socket) TP1210

1x hanging lamp	2x table lamp	1x table lamp	1x floor lamp	2x wall lamp
Ø47,5x28,5 cm (WxH) Bamboo Natural	Ø25x54 cm (WxLxH) Canvas / metal White / black	Ø32x45,5 cm (WxH) Bamboo / metal Natural / black	Ø37,5x140 cm (WxH) Bamboo / metal Natural / black	17x10x17 cm (WxLxH) Reed / metal Natural / black

OPTIONS

OPTION 13 | Heatscreen

Heatscreen

Mounting chain

Infrared heatscreen incl. mounting chain (plug compatible with 220V EU socket) TP1310

Dimensions	Weight	Color	Power	Temperature
790x310 cm	5 kg	Anthracite	1300 Watt / 5,6A	± 360 °C

OPTION 14 | Outdoor furniture

Loungeseats with coffee table TP1410

2x Loungeseat	Coffee table
70x90x65 cm (WxLxH) Sunbrella fabric Anthracite	60x60x36 cm (WxLxH) Coated aluminium Black

OPTION 15 | OFYR® BBQ

15A: OFYR® Storage BBQ (Ø85 cm) TP1500A

15B: OFYR® Storage BBQ (Ø100 cm) TP1500B

OFYR® Storage BBQ Ø85	OFYR® Storage BBQ Ø100
Ø85x103 cm (WxH) Coated steel Black	Ø100x103 cm (WxH) Coated steel Black

DECKING

DECKING

Decking 40, basic wooden decking (up to 40 cm height) 640x900 cm (58 m²)* incl. hardwood poles (5x5 cm) and screw foundation set — TP2500

***Dimensions of the decking are a guideline and vary per project but must be at least 635x850 cm**

Material	Certifications
Douglas wood	FSC® Certificate

Dimensions Decking 40

Decking for hot tub, extended wooden decking 450x450 cm (20 m²) incl. hardwood poles (5x5 cm) — TP2400

Dimensions Decking for hot tub	Material	Certifications
	Douglas wood	FSC® Certificate

WATER AND ELECTRICITY CONNECTIONS*



*The water/drainage and electricity connection is based on the room layout shown and may differ per project.

Connections for electricity, water supply and drainage must be provided by the buyer. No specific permits are required. However, this may differ per country or state. Check this yourself in advance.

Water and drainage Electricity connection

PRODUCT SHEET

Have a look at the Product sheet Crossover Lodge Large.

Product sheet
Crossover Lodge Large:

PRICE LIST

View the Price list Crossover Lodge Medium and Large

Price list
Crossover Lodge Medium:

Price list
Crossover Lodge Large:

Read our General Terms and Conditions

View the most current version of the Product Sheets here

CROSSOVER LODGE

Crossover Lodge is a product registered by Creative Lodge B.V.
Minervum 7049, 4817 ZL Breda, The Netherlands | **T** +31 (0)76 2100 401
E info@crossoverlodge.com | **W** www.crossoverlodge.com

CLM PRO 24 V2